

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	virtual adj lane adj buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:24
L2	6	virtual adj lane adj buffer\$3 and (710/52-57.ccls. 709/200,213.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:25
S1	15	virtual adj lane adj buffer and @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:28
S2	1	S1 and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:28
S3	1	S1 and buffer adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:28
S4	1	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:48
S6	10	S1 and registers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:49
S7	11	S1 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:54
S8	0	S7 and first adj register and second adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:54

S9	11	S7 and registers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:29
S10	616	registers same buffer adj size and @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:29
S11	7	registers same buffer adj size and @ad<"20030911" and S10 and buffer adj utilization †	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:30
S12	22	registers same buffer adj size and @ad<"20030911" and S10 and buffer near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:33
S13	0	registers same buffer adj size and @ad<"20030911" and S10 and lane adj buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:33
S14	0	registers same buffer adj size and @ad<"20030911" and S10 and lane adj buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:33
S15	12	registers same buffer adj size and @ad<"20030911" and S10 and buffer adj ports	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:51
S16	616	registers same buffer adj size and @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:51
S17	12	registers same buffer adj size and @ad<"20030911" and S16 and buffer adj ports	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:51
S19	22	registers same buffer adj size and @ad<"20030911" and S16 and buffer near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:51

S20	10	S19 NOT S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:58
S21	0	register same buffer same configuration adj information and @ad<"20030911" and virtual adj lane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:59
S22	211	register same buffer same configuration adj information and @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 12:59
S23	8	S22 and buffer adj size same register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 13:59
S25	2	"20030223416"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:59
S26	0	S25 and hypervisor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:59
S27	7	hypervisor and virtual adj lane and buffer and @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:00
S28	7	S27 and ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:00
S29	7	S28 and ports	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:00
S30	7	S29 and infiniband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:22

S31	0	S30 and ibm.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:02
-----	---	------------------	---	----	-----	------------------